

# AVrate Voyager: an open source online testing platform

Steve Göring, Rakesh Rao Ramachandra Rao, Stephan Fremerey, Alexander Raake


Audiovisual Technology Group,  
Technische Universität Ilmenau, Germany;  
Email: [steve.goering, rakesh-rao.ramachandra-rao, stephan.fremerey,  
alexander.raake]@tu-ilmenau.de

Code: <https://bit.ly/3uEyPNI>  
MMSP 2021

September 7, 2021


- ▶ subjective testing required for quality assessment and research [16]
  - ▶ usual tool: **lab-based tests**
    - controlled environment, e.g. ITU-R BT.500-13 [10], ITU-T Rec. P.913/910 [9, 23]
    - ensuring highly reliable results
    - **not always possible**
      - ▷ non-accessibility of lab rooms or rooms not usable, e.g. disallowed (e.g. COVID-19)
  - ▶ crowdsourcing or online tests as alternative:
    - audio [14, 13], video [20, 2, 6, 18, 25, 28] or image quality assessment [8, 7, 3, 24].
- How to implement such an online/crowd test?

# AVRate Voyager: Our Framework



- ▶ based on AVRateNG
  - usable for video, audio and othe lab tests [21, 17, 5, 19, 4, 22, 11, 15, 1, 26, 27, 12]
  - similar tests possible for AVrate Voyager
- ▶ online/crowd nature requires adaption of test design
- ▶ scalable web technology (HTML5, CSS, bootstrap, docker)
- ▶ usable for: audio, image, and video tests or surveys

# AVRate Voyager: Procedure



- ▶ configuration similar to AVRateNG (json file)
- ▶ adaption of templates required

## image quality test

- ▶ proof of concept; comparison to lab tests
  - ▶ 1484 full-hd sized square image patches (195 MB)
  - ▶ each participant rated 150 images (20 MB )
  - ▶ ACR rating scheme; 15 minutes
  - ▶ 238 participants: 35700 ratings
- 720-1080p max resolution for participants

video quality, see *Rao, Göring, and Raake* [20] (QoMEX '21)

- ▶ 540p center crop, comparison to lab test
  - ▶ 30 videos per user (70 MB), 180 in total (433 MB)
  - ▶ ACR rating scheme; 15 minutes
  - ▶ 175 participants: 4390 ratings
- requirement for pre-caching

# Test instances – audio mixed

spaciousness of music, see *Stirnat and Göring* [29]

- ▶ replacement for a lab tests, small scale
- ▶ 41 stimuli (97 MB): 6 audio-only, 5 video-only, and 30 mixed
- ▶ multiple sliders for rating; 60 minutes

→ window size per stimuli, play stimuli several times

# Conclusion, Summary and Future Work

- ▶ overview of AVRRate Voyager
  - typical instantiation
  - included procedure
- ▶ example tests briefly shown
- ▶ open and next steps:
  - include other multimedia formats
  - extend the framework



- [1] Darkhan Ashimov, Maria G Martini, and Nabajeet Barman. “Quality assessment of gaming videos compressed via AV1”. In: *QoMEX*. IEEE. 2020, pp. 1–4.
- [2] Óscar Figuerola Salas et al. “Assessing internet video quality using crowdsourcing”. In: *Proc. of the 2nd ACM int. workshop on Crowdsourcing for Multimedia*. 2013, pp. 23–28.
- [3] Deepti Ghadiyaram and Alan C Bovik. “Massive online crowdsourced study of subjective and objective picture quality”. In: *IEEE Trans. on Image Processing* 25.1 (2015), pp. 372–387.
- [4] Steve Göring et al. “Analyze and predict the perceptibility of UHD video contents”. In: *Electronic Imaging* 2019.12 (2019), pp. 215–1.

- [5] Steve Göring et al. “Modular Framework and Instances of Pixel-based Video Quality Models for UHD-1/4K”. In: *IEEE Access* 9 (2021), pp. 31842–31864.
- [6] T. Hoßfeld et al. “Quantification of YouTube QoE via Crowdsourcing”. In: *IEEE ISM*. 2011, pp. 494–499.
- [7] V. Hosu et al. “KonIQ-10k: An Ecologically Valid Database for Deep Learning of Blind Image Quality Assessment”. In: *IEEE Trans. on Image Processing* 29 (2020).
- [8] Vlad Hosu et al. “The Konstanz natural video database (KoNViD-1k)”. In: *QoMEX*. IEEE. 2017.
- [9] ITU-T. *ITU-T Rec. P.913 (16/03)*. Tech. rep. Int. Telecommunication Union, 2016.

- [10] ITU-T. *Rec. ITU-R BT.500-13 – Methodology for the subjective assessment of the quality of television pictures*. Tech. rep. Int. Telecommunication Union, 2014.
- [11] Dominik Keller et al. “Assessing texture dimensions and video quality in motion pictures using sensory evaluation techniques”. In: *QoMEX*. IEEE. 2019.
- [12] Dominik Keller et al. “Let the Music Play: An Automated Test Setup for Blind Subjective Evaluation of Music Playback on Mobile Devices”. In: *QoMEX*. IEEE. 2020, pp. 1–4.
- [13] Babak Naderi et al. “Effect of trapping questions on the reliability of speech quality judgments in a crowdsourcing paradigm”. In: *16th annual conf. of the int. speech comm. association*. 2015.

- [14] Babak Naderi et al. “Towards speech quality assessment using a crowdsourcing approach: evaluation of standardized methods”. In: *Quality and User Experience* 6.1 (2020), pp. 1–21.
- [15] Margaret H Pinson. *ITS4S3: A Video Quality Dataset With Unrepeated Videos, Camera Impairments, and Public Safety Scenarios*. Tech. rep. NTIA Technical Memorandum 19-538, 2019.
- [16] Alexander Raake and Sebastian Egger. “Quality and Quality of Experience”. In: *Quality of Experience: Advanced Concepts, Applications and Methods*. Ed. by Sebastian Möller and Alexander Raake. Cham: Springer International Publishing, 2014, pp. 11–33.

- [17] Alexander Raake et al. “Multi-model standard for bitstream-, pixel-based and hybrid video quality assessment of UHD/4K: ITU-T P.1204”. In: *IEEE Access* 8 (2020), pp. 193020–193049.
- [18] Benjamin Rainer and Christian Timmerer. “Quality of Experience of Web-Based Adaptive HTTP Streaming Clients in Real-World Environments Using Crowdsourcing”. In: *Proc. of the Workshop on Design, Quality and Deployment of Adaptive Video Streaming. VideoNext '14*. Australia: ACM, 2014.
- [19] Rakesh Rao Ramachandra Rao et al. “Adaptive video streaming with current codecs and formats: Extensions to parametric video quality model ITU-T P. 1203”. In: *Electronic Imaging* (2019).

- [20] Rakesh Rao Ramachandra Rao, Steve Göring, and Alexander Raake. “Towards High Resolution Video Quality Assessment in the Crowd”. In: *QoMEX*.
- [21] Rakesh Rao Ramachandra Rao et al. “AVT-VQDB-UHD-1: A large scale video quality database for UHD-1”. In: *IEE ISM*. IEEE. 2019, pp. 17–177.
- [22] Rakesh Rao Ramachandra Rao et al. “A Large-scale Evaluation of the bitstream-based video-quality model ITU-T P.1204.3 on Gaming Content”. In: *22st International Workshop on Multimedia Signal Processing (MMSP)*. IEEE. 2020, pp. 1–6.

- [23] ITUT Recommendation. “P. 910, Subjective video quality assessment methods for multimedia applications,” in: *Int. Telecommunication Union, Tech. Rep* (2008).
- [24] Judith Alice Redi et al. “Crowdsourcing-based multimedia subjective evaluations: a case study on image recognizability and aesthetic appeal”. In: *Proc. of the 2nd ACM int. workshop on Crowdsourcing for multimedia*. 2013, pp. 29–34.
- [25] M. Shahid et al. “Crowdsourcing based subjective quality assessment of adaptive video streaming”. In: *QoMEX*. 2014.
- [26] Ashutosh Singla et al. “Assessing media qoe, simulator sickness and presence for omnidirectional videos with different test protocols”. In: *Conf. on VR and 3D User Interfaces (VR)*. IEEE. 2019, pp. 1163–1164.

- [27] Ashutosh Singla et al. “Subjective quality evaluation of tile-based streaming for omnidirectional videos”. In: *Proc. of the 10th ACM Multimedia Systems Conference*. 2019, pp. 232–242.
- [28] Z. Sinno and A. C. Bovik. “Large-Scale Study of Perceptual Video Quality”. In: *IEEE Trans. on Image Processing* 28.2 (2019).
- [29] Claudia Stirnat and Steve Göring. “Audiovisual Perception of Spaciousness of Music in an Online Study”. In: *KLINGT GUT! KLG 2020/21* (). to appear.



# Thank you for your attention



..... are there any questions?

This work has been partially supported by the CYTEMEX project funded by the Free State of Thuringia, Germany (FKZ: 2018-FGI-0019) and the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation) – 437543412.